

Your Compliance Department Management Bulletin

GMG EnviroSafe

ORDER NOW!

EPA NESHAP 6H Online Training: Only \$500

The EPA's National Emission Standards for Hazardous Air Pollutants (NESHAP) requires any employee that handles a spray gun to be certified every 5 years.

Great News! GMG EnviroSafe has an online certification that can complete the required training for your painters without them ever leaving the shop!

How To Order

- Visit GMGEnviroSafe.com and select **NESHAP 6H Training & Certifications** from the **Resources** menu.
- Use the link to watch the training video and review proper spray gun set-up at your shop with your painters to minimize emissions.
- Have each painter complete the **Training Acknowledgment** on the next page and answer the quiz questions.
- Once completed, submit the form to GMG EnviroSafe:

Email: documents@gmgenvirosafe.com
Fax: 847.740.1635

Once you submit your quiz answers, a representative from our Accounting Department will contact you to process the \$500 credit card payment.

Please note that the payment must be received and processed before we can email your Certificate of Completion. **The \$500 payment is required regardless of whether you pass or fail the quiz.**

What Happens Next?

If the painter passed the review quiz, GMG EnviroSafe will email a certificate of completion. This certificate should be printed and placed in the NESHAP 6H folder of the DocuSystem (red compliance folders) and is good for 5 years.



If you have any questions or need further assistance, contact GMG EnviroSafe at 800.619.9733!

Your Compliance Department Management Bulletin

GMG EnviroSafe

ORDER NOW!

EPA NESHAP 6H Training Acknowledgment

By signing below, you acknowledge receiving hands-on and classroom training on these topics:

NESHAP Regulatory Requirements

Spray Gun Selection

Spray Gun Set-Up

Spray Gun Adjustments

Appropriate Spray Techniques

Spray Gun Cleaning

Spray Booth Filters

Spray Booths & Prep Stations

Benefits of Compliance

Training Date: _____ Shop Name: _____ Shop Location: _____

Painter Name: _____ Painter Signature: _____
(Print Legibly)

List the details of the spray gun that you use in the shop:

	Spray Gun Manufacturer	Spray Gun Model Number	Type	Max Input PSI
1			☐ HVLP	
2			☐ HVLP	
3			☐ HVLP	

Circle your answers for each of the questions at the end of the training handbook:

Question 1	Question 2	Question 3	Question 4	Question 5
True	True	True	True	True
False	False	False	False	False
Question 6	Question 7	Question 8	Question 9	Question 10
True	True	True	True	True
False	False	False	False	False

Submit this form for your certificate.

Email the form to documents@gmgenvirosafe.com or fax to 847.740.1635.



Your Compliance Department Management Bulletin

GMG *EnviroSafe*

ORDER NOW!

EPA NESHAP 6H Review Quiz

For each statement below, circle your answer on the Training Acknowledgment form.

1. NESHAP is the EPA's attempt to reduce Hazardous Air Pollutants (HAPs) emitted by the collision industry.
2. The distance between the spray gun and the coating surface will not affect transfer efficiency.
3. HVLP spray guns have an 85% transfer efficiency.
4. Spray coating can be done outdoors if an HVLP spray gun is used.
5. Air input, fluid flow, and fan adjustment are the main spray gun adjustments that can be made.
6. A spray gun should never be cleaned by spraying solvent.
7. When refinishing bare metal, you should apply primer only to the area needing repair and avoid overlap.
8. Following 6H NESHAP regulations will result in better health and safety for employees in the shop.
9. Mixing only the amounts of material needed will reduce paint cost and minimize air pollutants.
10. 6H NESHAP training requirements and practices apply to any employee who sprays material in the shop.